ORIGINAL RESEARCH

Peace in Guatemala and Immigrant Health in the United States

Jeremy C. Green*, Eric Adjei Boakye[†], Amanda Schoening* and Michael G. Vaughn[‡]

Background: The civil war between the indigenous Mayans and other Guatemalans lasted for 36 years, killed civilians, decimated villages, and resulted in many refugees. The Guatemalan Peace Agreement of 1996 aimed to alleviate the ongoing conflict. Studies of peace agreements more typically evaluate local political outcomes while neglecting global health outcomes.

Objective: Our research quantified associations between pre-migration exposure to the peace agreement in Guatemala and the post-migration health status of Guatemalan immigrants in the United States.

Methods: We used chi-square tests to compare the distribution of health status before and after peace. We used ordered probit regressions to estimate associations between peace in Guatemala and health in the United States, conditional on the observed distributions of age, age squared, age cubed, and linear time trends before and after peace.

Findings: The study sample included 4,115 female and 5,282 male Guatemalan immigrants between the ages of 15 and 85. The mean age was 38.8 years for females (standard deviation, 14.2) and 35.4 years for males (standard deviation, 12.6). Chi-square tests found statistically significant differences in the distribution of health status before and after the peace agreement, for females (P < .001) and males (P < .001). In unadjusted results, the peace agreement was associated with a 7.3 percentage point increase in excellent post-migration health for females (95% confidence interval, 4.9 to 9.8) and a 6.0 percentage point increase for males (95% confidence interval, 3.8 to 8.2). In adjusted results, we found that the peace agreement was associated with a 6.1 percentage point increase in excellent post-migration health of 1.4) and a 5.5-percentage point increase for males (95% confidence interval, 0.8 to 11.4) and a 5.5-percentage point increase for males (95% confidence interval, 1.0 to 10.0).

Conclusions: The peace agreement in Guatemala was associated with statistically significant improvements in the health status of Guatemalan immigrants to the United States.

Armed conflicts can have negative consequences for many aspects of health and social wellbeing [1-4], including discrimination [5, 6], mental health [7–11], substance abuse [12], hunger [13], health system performance [14], hospital productivity [15], economic development [16], human rights [17], and sexual violence [18]. Central America in general, and Guatemala in particular, is by some measures one of the most violent places in the world [19, 20]. The Guatemalan Civil War lasted from 1960 to 1996 [21], killed over 200,000 individuals not including combatants [22], demolished over 400 rural villages between 1981 and 1983 alone [23], and generated over a million refugees [24]. This is one of the longest and most violent conflicts in all of Central America [25]. The Guatemalan Civil War was a continuation of struggles over land and other resources between the native Mayan population and other inhabitants [26]. The population consequences of the Guatemalan Civil War include forced displacements [27] and related migration [28].

In 1996, Guatemala's national army and other combatants entered into a peace agreement to end violence and alleviate trauma, encourage economic and social development, and discover peaceful pathways to political and social change [29]. The United Nations was involved in Guatemala to a greater degree than they were in other peace agreements and had access to additional funding mechanisms that were not part of regular peacekeeping budgets [30]. The extent of success for the peace agreement is a topic of ongoing debate [31, 32], as Guatemala continued to lack an adequate legal system and face continued violence and Mayans continued to live under separate laws. After the peace agreement, Guatemalan society remained divided between a rural indigenous population and a wealthier minority [33]. Despite these limitations, the peace agreement was mediated by the United Nations and viewed as successful by some researchers [34].

Empirical studies of war and peace in Guatemala are occasionally limited by their exclusive focus on the negative effects of war, while neglecting the positive effects of a peace agreement. Previous research by Branas

^{*} Saint Louis University, Department of Health Management and Policy, US

[†] Saint Louis University, Center for Health Outcomes Research, US

[‡] Saint Louis University, School of Social Work, US

Corresponding author: Jeremy C. Green, PhD (jeremy.green@slu.edu)

et al. [12: p830] and Puac-Polanco et al. [7: p769] analyzed associations between negative experiences during the civil war and negative outcomes after the civil war. Individuals in these studies reported being attacked with weapons and witnessing serious injuries and deaths during the war and later suffering from depression, anxiety, alcohol-related disorders, and post-traumatic stress disorder. Sabin et al. [11: p639] analyzed data on Guatemalan immigrants in Mexico and found associations of pre-migration exposure to human rights violations and traumatic events related to civil war in Guatemala, with rates of post-migration depression and post-traumatic stress disorder in Mexico.

Another relevant literature seeks to estimate the economic, health, and social consequences of peace agreements [35]. Joshi analyzed variation in comprehensive peace agreements in a sample of 73 post-armed conflict countries between 1989 and 2012 and found that comprehensive peace agreements were associated with declines in child mortality rates [36]. Our research advances the empirical literature on peace agreements by comparing the health status of Guatemalan immigrants who arrived in the United States before and after the Guatemalan peace agreement of 1996. In doing so, our study helps to integrate the literatures on the health effects of armed conflict and on the health effects of peace agreements.

Methods

Data on Guatemalan immigrants to the United States are derived from the Integrated Public Use Microdata Series, Current Population Survey and Annual Social and Economic Supplement [37]. The Current Population Survey and Annual Social and Economic Supplement data come from a survey of households that is fielded every March by the United States Census Bureau and the United States Bureau of Labor Statistics. Surveys are completed in person and over telephone. These files contain data on Guatemalan immigrants to the United States from 1996 through 2016. While our dataset constitutes a nationally representative sample of the non-institutionalized population of Guatemalan Americans in the United States, it does not contain more detailed information on refugee status and cannot separately identify different types of immigrants beyond classification by country of birth. We analyzed the continuous variable on year of immigration to identify those individuals who were born in Guatemala and arrived in the United States before and after the Guatemalan peace agreement of 1996.

Study Variables

We compared the health status of Guatemalan immigrants who arrived before and after the peace agreement. For the dependent variable, we analyzed the categorical distribution of health status. The distribution of health status includes five categories – excellent health, very good health, good health, fair health, and poor health. For the key independent variable, we created a variable that was equal to 0 for individuals who were born in Guatemala and immigrated to the United States before the peace agreement, and equal to 1 for individuals who were born in Guatemala and immigrated to the United States after the peace agreement. For covariates in the adjusted specifications, we included age, age squared, age cubed, and linear time trends in year of immigration before and after the peace agreement. In addition to the series of variables included in the peace agreement models, we also analyzed data on years in the United States, to see if health deteriorated over time regardless of the peace agreement.

Statistical Analysis

The statistical analysis consisted of two steps – a descriptive analysis and a regression analysis. For the descriptive analysis, we tabulated the health status of individuals who were born in Guatemala and subsequently migrated from Guatemala to the United States, for individuals who arrived before the peace agreement and individuals who arrived after the peace agreement separately. We used chi-square tests to describe differences in the distribution of health status between individuals who arrived in the United States before and after the peace agreement in Guatemala.

For the regression analysis, we estimated unadjusted and adjusted associations between the peace agreement and self-rated health status were estimated by fitting ordered probit regression models and then analyzing model predictions [38]. For the unadjusted regression models, we fit ordered probit regressions of the distribution of health status on the peace agreement indicator. For the adjusted regression models, we added a series of covariates to the empirical specifications to adjust for the observed distributions of age, age squared, age cubed, and linear time trends in year of immigration before and after the peace agreement. We estimated incremental effects of arriving in the United States from Guatemala after the peace agreement. In addition to the regression models of the peace agreement and health status, we also fit models of years in the United States, to test the hypothesis that health deteriorated over time, regardless of the peace agreement.

We stratified the data analysis by gender and estimated separate regressions for females and males. Delta method standard errors were computed to estimate 95% confidence intervals [39]. Incremental effects and confidence intervals were estimated using the Current Population Survey supplement probability weights to help generalize the results nationally. We used Stata software, version 14 for data analysis [40]. The Saint Louis University Institutional Review Board reviewed the research, determined that the research was not human subjects research, and exempted the research from further institutional review.

Results

The study sample included 4,115 females and 5,282 males between the ages of 15 and 85. The mean age was 38.8 years for females (standard deviation, 14.2) and 35.4 years for males (standard deviation, 12.6). We report the results of the data analysis for the study in **Tables 1** through **3**. **Table 1** contains the descriptive results and **Tables 2** and **3** contain the inferential results.

Table 1 shows the distribution of health status for individuals in the study sample, among those individuals who were born in Guatemala and migrated to the United States before and after the peace agreement, separately. The top panel of **Table 1** reports the results for females; the bottom panel of **Table 1** reports the results for males. The

Health	Before Peace, No. (%)	After Peace, No. (%)	P Value ^b	
Females (n = 4 115)				
Excellent	493 (19.42)	373 (23.67)		
Very good	746 (29.38)	537 (34.07)		
Good	903 (35.57)	553 (35.09)	< 0.01	
Fair	305 (12.01)	91 (5.774)	<.001	
Poor	92 (3.623)	22 (1.396)		
Total	2 539 (100)	1 576 (100.00)		
Males (n = 5 282)				
Excellent	617 (23.34)	721 (27.33)		
Very good	841 (31.81)	969 (36.73)		
Good	899 (34.00)	813 (30.82)	~ 001	
Fair	208 (7.867)	120 (4.549)	<.001	
Poor	79 (2.988)	15 (0.569)		
Total	2 644 (100)	2 638 (100)		

Table 1: Health Status of Guatemalan Immigrants Before and After Peace^a.

^a Table entries are counts and frequencies of individuals born in Guatemala who migrated to the United States before and after the peace agreement.

^b P values are from chi-square tests.

Table 2: Unadjusted Associations Between Peace in Guatemala and Immigrant Health^a.

Health	Incremental Effect (95% Confidence Interval)		
Gender	Females (n = 4 115)	Males (n = 5 282)	
Excellent	0.0732 (0.0487, 0.0978)	0.0596 (0.0376, 0.0817)	
Very good	0.0271 (0.0183, 0.0360)	0.0156 (0.00933, 0.0220)	
Good	-0.0491 (-0.0660, -0.0323)	-0.0474 (-0.0650, -0.0297)	
Fair	-0.0362 (-0.0485, -0.0240)	-0.0203 (-0.0280, -0.0126)	
Poor	-0.0150 (-0.0203, -0.00970)	-0.00759 (-0.0109, -0.00426)	

^aTable entries are incremental effects and 95% confidence intervals from ordered probit regressions of the distribution of health on peace, weighted by the sampling probabilities.

first column of Table 1 labels the categories of health status on the Likert scale – excellent health, very good health, good health, fair health, and poor health. The second column of Table 1 reports the counts and frequencies of Guatemalan immigrants to the United States by their postmigration health status for the subset of immigrants who arrived before the peace agreement of 1996. The second column of Table 1 reports the counts and frequencies of Guatemalan immigrants who arrived in the United States after the peace agreement of 1996, by their post-migration health status. The final column of Table 1 reports P values from chi-square tests of variation in the distribution of post-migration health status between the group of Guatemalan immigrants who arrived in the United States before the peace agreement and the group of Guatemalan immigrants who arrived after the peace agreement.

For both female and male Guatemalan immigrants to the United States, those immigrants who arrived after the peace agreement in Guatemala had an elevated health status, as compared to those immigrants who arrived before the peace agreement in Guatemala. Among females who migrated from Guatemala to the United States, 23.7% of those who migrated after the peace agreement reported excellent post-migration health status, as compared to 19.4% of those who migrated before the peace agreement. Among males, 27.3% of those who migrated after the peace agreement reported excellent post-migration health status, as compared to 23.3% of those who migrated before the peace agreement.

In **Table 2**, we report the results from a regression analyses of associations between a dichotomous variable for arriving in the United States from Guatemala before and after the peace agreement, and the distribution of postmigration health status. The first column of **Table 2** labels the categories of health status, the second column contains the results for females, and the third column contains the results for males. Each cell of the table reports an association between arriving in the United States after the peace agreement in Guatemala, and the distribution of post-migration health status. In the unadjusted results, we found positive associations between the peace agreement in Guatemala and excellent post-migration health

Health	Incremental Effect (95% Confidence Interval)		
Gender	Females (n = 4 115)	Males (n = 5 282)	
Excellent	0.0608 (0.00775, 0.114)	0.0546 (0.00954, 0.0996)	
Very good	0.0223 (0.00534, 0.0393)	0.0111 (0.00432, 0.0179)	
Good	-0.0410 (-0.0772, -0.00483)	-0.0425 (-0.0773, -0.00779)	
Fair	-0.0300 (-0.0542, -0.00569)	-0.0170 (-0.0291, -0.00487)	
Poor	-0.0122 (-0.0221, -0.00226)	-0.00617 (-0.0103, -0.00202)	

Table 3: Adjusted Associations Between Peace in Guatemala and Immigrant Health^a.

^aTable entries are incremental effects and 95% confidence intervals from ordered probit regressions of the distribution of health on peace, adjusted for the observed distributions of age, age squared, age cubed, and linear time trends in year of immigration before and after the peace agreement, and weighted by the sampling probabilities.

Health	Unadjusted Marginal Effect (95% Confidence Interval)		
Gender Females (n = 4 115)		Males (n = 5 282)	
Excellent	-0.00461 [-0.00571, -0.00351]	-0.00437 [-0.00551, -0.00324]	
Very good	-0.00181 [-0.00228, -0.00134]	-0.00109 [-0.00143, -0.000756]	
Good	0.00304 [0.00232, 0.00375]	0.00345 [0.00255, 0.00436]	
Fair	0.00237 [0.00174, 0.00301]	0.00147 [0.00106, 0.00188]	
Poor	0.00101 [0.000696, 0.00132]	0.000543 [0.000354, 0.000732]	
Health	Adjusted Marginal Effect (95% Confidence Interval)		
Gender	Females (n = 4 115)	Males (n = 5 282)	
Excellent	0.000451 [-0.000858, 0.00176]	-0.000220 [-0.00164, 0.00120]	
Very good	0.000174 [-0.000330, 0.000677]	-0.0000537 [-0.000401, 0.000294]	
Good	-0.000298 [-0.00117, 0.000570]	0.000174 [-0.000948, 0.00130]	
Fair	-0.000230 [-0.000894, 0.000434]	0.0000727 [-0.000398, 0.000543]	

Table 4: Associations Between Years in the United States and Guatemalan Immigrant Health^a.

^a Table entries are average marginal effects and 95% confidence intervals from ordered probit regressions of health status on years in the United States, adjusted for the observed distributions of age, age squared, and age cubed, and weighted by the sampling probabilities.

status in the population of Guatemalan immigrants in the United States. The peace agreement was associated with a 7.3 percentage point increase in the probability of excellent post-migration health for females (95% confidence interval, 4.9 to 9.8) and a 6.0 percentage point increase in the probability of excellent post-migration health for males (95% confidence interval, 3.8 to 8.2).

In **Table 3**, we repeat the presentation of regression results the unadjusted analysis in **Table 2**, and add covariates to the empirical models to adjust the estimated associations between the peace agreement and post-migration health status. After conditioning the regression models on the observed distributions of the covariates – age, age squared, age cubed, and linear time trends in year of immigration before and after the peace agreement – we found positive associations between arriving after the peace agreement and post-migration health status, similar to the results from the unadjusted analysis. In the adjusted models, we found that the probability of excellent post-migration health for females was 6.1 percentage points higher (95% confidence interval, 0.8 to 11.4) for the group of immigrants who arrived after the peace

agreement as compared to the group of immigrants who arrived before the peace agreements. Similarly, the probability of excellent post-migration health for males was 5.5 percentage points higher (95% confidence interval, 1.0 to 10.0) for the group of immigrants who arrived after the peace agreement as compared to before the agreement. In **Table 4**, we report the results of an additional regression analysis, of associations between years in the United States and health status. After adjusting for age, age squared, and age cubed, we found no statistically significant associations between years in the United States and health status.

Discussion

We compared the self-rated health status of Guatemalan immigrants who arrived in the United States before and after the Guatemalan Peace Agreement of 1996. We found positive associations between arriving in the United States after the peace agreement and the probability of excellent post-migration health status. These results are consistent with positive associations between peace agreements and health outcomes as described in Joshi [36: p6]. A strength of this study is its evaluation of the positive outcomes of peace, which is less common in a literature that usually evaluates the negative outcomes of war. Despite these strengths, our study does have its limitations. The study lacked data on the temporal ordering of migrant locations. We could not distinguish between individuals who were born in Guatemala and stayed in Guatemala until their arrival in the United States from those individuals who were born in Guatemala and lived in one or more other countries before their arrival in the United States. More research is needed to ascertain the complete temporal ordering of migrant locations other than their countries of birth. The study also lacked data on refugee status and identified immigrants solely by country of birth. More research is needed to separately estimate effects of peace agreements on refugee populations as compared to general immigrant populations.

Competing Interests

The authors have no competing interests to declare.

Author Contribution

All authors had access to the data and a role in writing the manuscript.

References

- Murray CJL. Armed conflict as a public health problem. *BMJ*. 2002; 324(7333): 346–349. DOI: https:// doi.org/10.1136/bmj.324.7333.346
- Sousa CA. Political violence, collective functioning and health: A review of the literature. *Med Confl Surviv.* 2013; 29(3): 169–197. DOI: https://doi.org/ 10.1080/13623699.2013.813109
- Pedersen D. Political violence, ethnic conflict, and contemporary wars: Broad implications for health and social well-being. *Soc Sci Med.* 2002; 55(2): 175–190. DOI: https://doi.org/10.1016/ S0277-9536(01)00261-1
- Leaning J and Guha-Sapir D. Natural disasters, armed conflict, and public health. *N Engl J Med.* 2013; 369(19): 1836–1842. DOI: https://doi. org/10.1056/NEJMra1109877
- Cerón A, Ruano AL, Sánchez S, et al. Abuse and discrimination towards indigenous people in public health care facilities: experiences from rural Guatemala. *Int J Equity Health*. 2016; 15(1): 77. DOI: https://doi.org/10.1186/ s12939-016-0367-z
- Ruano AL, Sánchez S, Jerez FJ, et al. Making the post-MDG global health goals relevant for highly inequitable societies: Findings from a consultation with marginalized populations in Guatemala. *Int J Equity Health.* 2014; 13: 1–8. DOI: https://doi. org/10.1186/1475-9276-13-57
- Puac-Polanco VD, Lopez-Soto VA, Kohn R, Xie D, Richmond TS and Branas CC. Previous violent events and mental health outcomes in Guatemala. *Am J Public Health.* 2015; 105(4): 764–771. DOI: https://doi.org/10.2105/AJPH.2014.302328
- 8. Devakumar D, Birch M, Osrin D, Sondorp E and Wells JCK. The intergenerational effects of war

on the health of children. *BMC Med.* 2014; 12: 57. DOI: https://doi.org/10.1186/1741-7015-12-57

- 9. Zur J. The psychosocial effects of "La Violencia" on widows of El Quiché, Guatemala. *Gend Dev.* 1993; 1(2): 27–30. DOI: https://doi. org/10.1080/09682869308519967
- 10. Flores W, Ruano AL and Funchal DP. Social participation within a context of political violence: Implications for the promotion and exercise of the right to health in Guatemala. *Health Hum Rights.* 2009; 11(1): 37–48. DOI: https://doi. org/10.2307/40285216
- Sabin M, Cardozo BL, Nackerud L, Kaiser R and Varese L. Factors associated with poor mental health among Guatemalan refugees living in Mexico 20 years after civil conflict. *JAMA*. 2003; 290(5): 635–642. DOI: https://doi.org/10.1001/ jama.290.5.635
- Branas CC, Dinardo AR, Polanco VDP, Harvey MJ, Vassy JL and Bream K. An exploration of violence, mental health and substance abuse in postconflict Guatemala. *Health (Irvine Calif)*. 2013; 5(5): 825–833. DOI: https://doi.org/10.4236/ health.2013.55109
- Klick M. More than legitimacy: Local governance and variation in human development in post-war Guatemala. *Journal of Peacebuilding & Development*. 2013; 8(3): 7–22. DOI: https://doi.org/10.1080/154 23166.2013.855606
- 14. Kruk ME, Freedman LP, Anglin GA and Waldman RJ. Rebuilding health systems to improve health and promote statebuilding in post-conflict countries: A theoretical framework and research agenda. *Soc Sci Med.* 2010; 70(1): 89–97. DOI: https://doi. org/10.1016/j.socscimed.2009.09.042
- 15. Jola-Sanchez AF, Pedraza-Martinez AJ, Bretthauer KM and Britto RA. Effect of armed conflicts on humanitarian operations: Total factor productivity and efficiency of rural hospitals. *Journal of Operations Management.* 2016; 45: 73–85. DOI: https://doi.org/10.1016/j.jom.2016.06.002
- Dinesen C, Ronsbo H, Juárez C, González M, Estrada Méndez MÁ and Modvig J. Violence and social capital in post-conflict Guatemala. *Rev Panam Salud Publica*. 2013; 34(6): 162–168.
- Ekern S. The modernizing bias of human rights: Stories of mass killings and genocide in Central America. *J Genocide Res.* 2010; 12(3–4): 219–241. DOI: https://doi.org/10.1080/14623528.2010.528 996
- Leiby ML. Wartime sexual violence in Guatemala and Peru. Int Stud Q. 2009; 53(2): 445–468. DOI: https:// doi.org/10.1111/j.1468-2478.2009.00541.x
- van Leeuwen M. To conform or to confront? CSOs and agrarian conflict in post-conflict Guatemala. *J Lat Am Stud.* 2010; 42(1): 91. DOI: https://doi. org/10.1017/S0022216X10000064
- Medrano C. Securing protection for de facto refugees: The case of Central America's northern triangle. *Ethics Int Aff.* 2017; 31(2): 129–142. DOI: https://doi.org/10.1017/S0892679417000041

- 21. Janzen R. Guatemalan ex-combatant perspectives on reintegration: A grounded theory. *Qual Rep.* 2014; 19(21): 1–24.
- 22. **Green L.** The fear of no future: Guatemalan migrants, dispossession and dislocation. *Anthropologica*. 2009; 51(2): 327–341.
- 23. **Melville MB** and **Brinton Lykes M**. Guatemalan Indian children and the sociocultural effects of government-sponsored terrorisms. *Soc Sci Med*. 1992; 34(5): 533–548. DOI: https://doi.org/10.1016/0277-9536(92)90209-9
- 24. **Offit TA** and **Cook G.** The death of Don Pedro: Insecurity and cultural continuity in peacetime Guatemala. *J Lat Am Caribb Anthropol.* 2010; 15(1): 42–65. DOI: https://doi. org/10.1111/j.1935-4940.2010.01062.x
- 25. **Rohr E.** Farewell to a dead horse: Group analytic supervision training in post-war Guatemala. *Group Analysis.* 2009; 42(2): 107–119. DOI: https://doi. org/10.1177/0533316409104360
- Summerfield D. The social, cultural and political dimensions of contemporary war. *Med Confl Surviv.* 1997; 13(1): 3–25. DOI: https://doi.org/10.1080/13623699708409311
- 27. **Wayland J** and **Kuniholm M.** Legacies of conflict and natural resource resistance in Guatemala. *The Extractive Industries and Society.* 2016; 3(2): 395–403. DOI: https://doi.org/10.1016/j. exis.2016.03.001
- Krznaric R. Guatemalan returnees and the dilemma of political mobilization. *J Refug Stud.* 1997; 10(1): 61–78. DOI: https://doi.org/10.1093/jrs/10.1.61
- 29. **Ruano AL, Sebastián MS** and **Hurtig A-K.** The process of social participation in primary health care: The case of Palencia, Guatemala. *Health Expect.* 2011; (September): 93–103. DOI: https://doi. org/10.1111/j.1369-7625.2011.00731.x
- 30. **Burgerman SD.** Building the peace by mandating reform: United Nations-mediated human rights agreements in El Salvador and Guatemala. *Lat Am Perspect.* 2000; 27(3): 63–87. DOI: https://doi. org/10.1177/0094582X0002700304

- Rettberg A. The private sector and peace in El Salvador, Guatemala, and Colombia. J Lat Am Stud. 2007; 39(2007): 463. DOI: https://doi.org/10.1017/ S0022216X07002817
- Helweg-Larsen S. The peace of the oligarchs: Land distribution and the Guatemalan peace process. *Rev Can Etudes Dev.* 2003; 24(4): 617–632. DOI: https:// doi.org/10.1080/02255189.2003.9668948
- Pearce J. Building civil society from the outside: The problematic democratisation of Central America. *Glob Soc.* 1998; 12(2): 177–196. DOI: https://doi.org/10.1080/13600829808443159
- 34. DeRouen K and Chowdhury I. Mediation, peacekeeping and civil war peace agreements. *Defence* and Peace Economics. 2016; 2694(June): 1–17. DOI: https://doi.org/10.1080/10242694.2016.117 3439
- 35. **Stewart F** and **Daga R.** Does the way civil wars end affect the pattern of post-conflict development? *Oxford Development Studies*. 2017; 818(May): 1–26. DOI: https://doi.org/10.1080/13600818.2016.126 3727
- 36. Joshi M. Comprehensive peace agreement implementation and reduction in neonatal, infant and under-5 mortality rates in post-armed conflict states, 1989–2012. *BMC Int Health Hum Rights*. 2015; 15(1): 27. DOI: https://doi.org/10.1186/s12914-015-0066-7
- 37. Flood S, King M, Ruggles S and Warren JR. Integrated Public Use Microdata Series, Current Population Survey: Version 4.0. [dataset]. Minneapolis: University of Minnesota; 2015. DOI: https://doi. org/10.18128/D030.V4.0
- Conigliani C, Manca A and Tancredi A. Prediction of patient reported outcome measures via multivariate ordered probit models. *J R Stat Soc Ser A*. 2014; 178: 567–591. DOI: https://doi.org/10.1111/rssa.12072
- 39. Dowd BE, Greene WH and Norton EC. Computation of standard errors. *Health Serv Res.* 2014; 49(2): 731–750. DOI: https://doi. org/10.1111/1475-6773.12122
- 40. **StataCorp.** Stata Statistical Software: Release 14. College Station, TX: StataCorp LP; 2015.

OPEN ACCESS

How to cite this article: Green JC, Boakye EA, Schoening A and Vaughn MG. Peace in Guatemala and Immigrant Health in the United States. *Annals of Global Health.* 2018; 84(4), pp. 704–709. DOI: https://doi.org/10.29024/aogh.2380

Published: 05 November 2018

Copyright: © 2018 The Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC-BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See http://creativecommons.org/licenses/by/4.0/.

Annals of Global Health is a peer-reviewed open access journal published by Levy Library Press.